



PONY

Pony Testing International Group

Report No.: MLIXZK7U81799716

MSDS Report

 Sample Description
 & Model

NI-MH Rechargeable Battery 1/2D 6v 3500mAh

Applicant

EVERWIN TECH CO.,LIMITED

Address

 BLDG1, MEILAN INDUSTRIAL PARK, DALANG
 ROAD(S), LONGHUA, SHENZHEN, CHINA.

No.: MLIXZK7U81799716

Code: ylhvu1180m



PONY 谱尼测试

Pony Testing International Group

www.ponytest.com

Hotline 400-819-5688

北京实验室: (010) 82618118

长春实验室: (0431) 85159908

上海实验室: (021) 64851999

深圳实验室: (0755) 26050909

青岛实验室: (0532) 88798866

哈尔滨实验室: (0451) 88104651

宁波实验室: (0574) 87736499

广州实验室: (020) 89224388

天津实验室: (022) 27369739

大连实验室: (0411) 44659829

杭州实验室: (0571) 87219096

武汉实验室: (027) 80997127

新疆实验室: (999) 16684188

烟台实验室: (0531) 69156679

苏州实验室: (0512) 62997900

厦门实验室: (0592) 5568048



Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.6 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical product identification**Sample Description:** NI-MH Rechargeable Battery**Sample Model:** 1/2D 6v 3500mAh**Recommended Uses:** Power bank**Restrictions on use:** N/A**Supplier name:** EVERWIN TECH CO.,LIMITED**Address:** BLDG1, MEILAN INDUSTRIAL PARK, DALANG ROAD(S), LONGHUA, SHENZHEN, CHINA.**Phone number:** 86-755-81752844**FAX:** 86-755-81752840**E-mail:** sales01@ewtbattery.com**Emergency phone number:** 86-755-81752844

Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

CAS# 7440-02-0**Classification according to GHS**

Sensitisation, respiratory (1, 1A, 1B)

Sensitisation, skin (1, 1A, 1B)

Carcinogenicity (2)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

Hazardous to the aquatic environment, long-term hazard (4)

Label elementswww.ponytest.com

Hotline 400-819-5688

**Hazard pictogram(s):****Signal word:** Danger**Hazard statement(s):**

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)
- H413 May cause long lasting harmful effects to aquatic life

Precautionary statement(s):**Prevention:**

- P284 [In case of inadequate ventilation] wear respiratory protection.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust.
- P264 Wash skin and clothing thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.

Response:

- P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P333 + P313 If skin irritation or rash occurs: Get medical advice.
- P321 Specific treatment.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P308 + P313 IF exposed or concerned: Get medical advice.
- P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor.
- P314 Get medical advice if you feel unwell.

Storage

- P405 Store locked up.

Disposal:

- P501 Contents or container handling to approved waste treatment plants.



CAS# 12054-48-7

Classification according to GHS

Acute toxicity, oral (4)

Acute toxicity, inhalation: Dusts and mists (4)

Sensitisation, respiratory (1, 1A, 1B)

Sensitisation, skin (1, 1A, 1B)

Carcinogenicity (1A, 1B)

Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H302 Harmful if swallowed

H332 Harmful if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 May cause an allergic skin reaction

H350 May cause cancer

Precautionary statement(s):

Prevention:

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P261 Avoid breathing dust, fume, gas, mist, vapours and spray.

P271 Use only outdoors or in a well-ventilated area.

P284 In case of inadequate ventilation wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER, if you feel unwell.

P330 Rinse mouth.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER, if you feel unwell.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.



Pony Testing International Group

P321 Specific treatment (See additional emergency instructions).

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical advice.

Storage

P405 Store locked up.

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS# 7440-50-8

Classification according to GHS

Sensitisation, skin (1, 1A, 1B)

Specific target organ toxicity, single exposure (1) (digestive system)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H317 May cause an allergic skin reaction

H370 Causes damage to organs (digestive system)

H335 May cause respiratory irritation

Precautionary statement(s):

Prevention:

P260 Do not breathe dust, fume.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

Response:

P302 + P352 IF ON SKIN: Wash with plenty water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment (See additional emergency instructions).

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P311 IF exposed or concerned: Call a POISON CENTER.



Pony Testing International Group

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER if you feel unwell.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Contents handling to approved waste treatment plants.

CAS# 1310-73-2

Classification according to GHS

Skin corrosion/irritation (1A, 1B, 1C)
Serious eye damage/eye irritation (1)
Specific target organ toxicity, single exposure (1) (respiratory system)
Hazardous to the aquatic environment, acute hazard (3)

Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s):

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H370 Causes damage to organs(respiratory system)
H402 Harmful to aquatic life

Precautionary statement(s):

Prevention:

P260 Do not breathe dusts or mists.
P264 Wash skin and clothing thoroughly after handling.
P280 Wear protective gloves, protective clothing, eye protection, face protection.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water.
P363 Wash contaminated clothing before reuse.



P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER.

P321 Specific treatment (See additional emergency instructions).

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER.

Storage:

P405 Store locked up.

Disposal:

P501 Contents handling to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

Section 3 – Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Nickel	7440-02-0	231-111-4	29
Nickel Hydroxide	12054-48-7	235-008-5	30
Lanthanum	7439-91-0	231-099-0	11
Iron	7439-89-6	231-096-4	15
Copper	7440-50-8	231-159-6	4.955
Sodium hydroxide	1310-73-2	215-185-5	2.16
Others	---	---	<8

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

www.ponytest.com Hotline 400-819-5688

北京实验室: (010) 92618126 长春实验室: (0431) 85190808 上海实验室: (021) 64831998 深圳实验室: (0755) 26059889
 青岛实验室: (0532) 88706666 烟台实验室: (0461) 88104631 宁波实验室: (0574) 87736499 广州实验室: (020) 89124310
 天津实验室: (022) 27348739 大连实验室: (0411) 84638629 杭州实验室: (0571) 87219896 武汉实验室: (027) 83997127
 新疆实验室: (0991) 6684186 福州实验室: (0571) 49359679 苏州实验室: (0512) 62997900 厦门实验室: (0592) 5568048



After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders:

No data available.

Most important symptoms/effects, acute and delayed:

No data available.

Indication of immediate medical attention and special treatment needed:

No data available.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment .
Such as dry powder , CO₂

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation



Protective equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No data available.

Section 8 - Exposure Controls/Personal Protection

Control parameters

www.ponytest.com

Hotline 400-819-5688

北京实验室: (010) 90193336

长春实验室: (0431) 85139998

上海实验室: (021) 64631999

深圳实验室: (0755) 26609609

青岛实验室: (0532) 88786666

哈尔滨实验室: (0451) 88304631

宁波实验室: (0574) 87736499

广州实验室: (020) 89224330

天津实验室: (022) 27360730

大连实验室: (0411) 84689820

杭州实验室: (0571) 87219096

武汉实验室: (027) 89967127

新疆实验室: (0991) 4684186

郑州实验室: (0371) 69356676

苏州实验室: (0512) 62997908

厦门实验室: (0592) 5568048



Pony Testing International Group

Report No.: MLIXZK7U81799716

Date:02.22.2018

Page 9 of 14

CAS No.	ACGIH	NIOSH	OSHA
7440-02-0	TLV-TWA 1.5mg/m ³	REL-TWA 0.015mg/m ³	PEL-TWA 1mg/m ³
12054-48-7	N/A	N/A	N/A
7439-91-0	N/A	N/A	N/A
7439-89-6	N/A	N/A	N/A
7440-50-8	TLV-TWA 0.2mg/m ³ TLV-TWA 1mg/m ³	REL-TWA 1mg/m ³ REL-TWA 0.1mg/m ³	PEL-TWA 0.1mg/m ³ PEL-TWA 1mg/m ³
1310-73-2	N/A	N/A	PEL-TWA 2mg/m ³

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Appearance:	Green.
Form:	Cylindrical.
Odour:	Not available.
Odour threshold:	Not available.
pH:	Not available.

www.ponytest.com

Hotline 400-819-5688

PONY 谱尼测试
Pony Testing International Group

谱尼测试集团有限公司
深圳南山区创业路中兴工业城六栋一层

北京实验室: (010) 82619116	长春实验室: (0431) 85150908	上海实验室: (021) 64851999	西安实验室: (029) 26030909
青岛实验室: (0532) 88796866	哈尔滨实验室: (0451) 88384651	宁波实验室: (0874) 87736499	广州实验室: (020) 89124310
天津实验室: (022) 27360730	大连实验室: (0411) 84639820	杭州实验室: (0571) 87239999	武汉实验室: (027) 83997127
新疆实验室: (0991) 4664126	苏州实验室: (0512) 49359678	苏州实验室: (0512) 62507900	厦门实验室: (0592) 5568048



Melting point/freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.
Solubility(ies):	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Other information:	
Voltage	6 V
Electric capacity	3500mAh

Section 10 - Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
7440-02-0	LD50 Rat (oral): ≥5000mg/kg
12054-48-7	LD50 Rat (oral): 1600 mg/kg LC50 Rat (Inhalation: Dusts and mists): 1200mg/m ³
7439-91-0	No data available.



7439-89-6	No data available.
7440-50-8	No data available.
1310-73-2	No data available.

Skin irritation/corrosion:

Eye damage/irritation: No data available.

Respiratory or Skin sensitisation: No data available.

Reproductive Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive Toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Potential Health Effects: No data available.

Inhalation: No data available.

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Section 12 - Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.



Section 14 - Transport Information

UN Number	
IATA, IMDG	N/A
UN Proper shipping name	
IATA, IMDG	N/A
Transport hazard class(es)	
IATA, IMDG	N/A
Packing group	
IATA, IMDG	N/A
Packaging Sign	
IATA, IMDG	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: **NI-MH Rechargeable Battery 1/2D 6v 3500mAh** is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 59th, IATA Special Provisions A199, International Maritime Dangerous Goods Regulations (IMDG) (37-14), or the 《Recommendations on the Transport of Dangerous Goods Model Regulations》 (19th).

S.P.A199 The UN number UN 3496 is only applicable in sea transport. Nickel-metal hydride battery or nickel-metal hydride battery-powered devices, equipment or vehicles having the potential of a dangerous evolution of heat are not subject to these Regulations provided they are prepared for transport so as to prevent:

- (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and
- (b) unintentional activation.

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport.



Note: Products weighing less than 100kg in the Container. (By sea).

Transport Fashion: By air, by sea.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
7440-02-0	Listed	Listed	Listed DSL	Listed
12054-48-7	Listed	Listed	Listed DSL	Listed
7439-91-0	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
1310-73-2	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Time: 2018-02-22

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);



TLV: (Threshold Limit Value)
 TWA: (Time Weighted Average);
 STEL: (Short Term Exposure Limit);
 PEL: (Permissible Exposure Level);
 REL: (Recommended Exposure Limit);
 PC-STEL: (Permissible concentration-time weighted average);
 PC-TWA: (Permissible concentration-short time exposure limit);
 LC50: (Lethal concentration, 50 percent kill);
 LD50: (Lethal dose, 50 percent kill);
 IARC: (International Agency for Research on Cancer);
 EC50: (Median effective concentration);
 BCF: (Bioconcentration Factor);
 BOD: (Biochemical oxygen demand);
 NOEC: (No observed effect concentration);
 NTP: (US National Toxicology Program);
 RTECS: (Registry of Toxic Effects of Chemical Substances);
 IATA: (International Air Transport Association);
 IMDG: (International Maritime Dangerous Goods);
 TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);
 TOC: (Total Organic Carbon);
 TSCA: (Toxic Substances Control Act of USA);
 DSL: (the Domestic Substances List of Canada);
 NDSL: (the Non-domestic Substances List of Canada)

End of report